



TP 166 MOBILE P



Infeed

Roller opening:	176 x 191 mm
Number of rollers:	2
Roller position:	Horizontal

Chipper type

Chipper type:	Disc chipper
Chipping angle:	90°
TP OPTICUT:	Yes



TP TWIN DISC:	Yes
Number of knives:	2
Number of cuts per turn:	2
Woodchip size:	10-20 mm
Rotorspeed:	1450 r/min
Rotordiameter:	599 mm
Rotorweight:	69 kg
Transmission:	Direct
Counter knife horizontal:	1 turnable
Counter knife vertical:	1
Replacement of wearing plate:	No
Wearing plate:	Yes
TP CHIP KIT:	Option

Spout System

TP VARIO SPOUT:	Option
TP FIXED SPOUT:	Standard

Stress control

Stress control:	TP PILOT+
------------------------	-----------

Engine

Engine:	Honda GX 690
Fuel:	Petrol
Engine power:	22 hp/16,5 kW
Number of cylinders:	2
Fuel consumption:	5l/h

Dimensions

Length (transport/operation):	3515 mm/4013 mm
Width:	1416 mm
Height (t/o) TP VARIO SPOUT:	1750 mm/1965-2440 mm
Height (t/o) TP FIXED SPOUT:	1995 mm
Weight:	680 kg

TECHNICAL DRAWING

TP 166 MOBILE

